

本公司保留不预先通知进行产品改良之权利，本资料图片仅供参考，因拍摄与印刷均有偏差问题，图片与实物有色差属正常现象。

粤械注准 20222170351  
粤食药监械许 20224688 号



# HONGKE

## Foshan Hongke Medical Instrument Factory

Add: Lishan Industrial zone zhongxiaoxiang plant No.1, xicheng,danzao town, nanhai district,Foshan China.

Tel: 86-0757-81763901 / Fax: 86-0757-81770696

Email: master@fshongke.cn

Web: www.fshongke.com



扫码关注更多口腔黑科技

Foshan Hongke Medical Instrument Factory



Produce With Ingenuity  
Lead With Quality

Adhere to quality leadership  
exceed customer expectations



Established in 2004, Hongke Medical, headquartered in Nanhai District, Foshan City, is an integrated oral solution provider integrating R&D, design, production, sales and after-sales.

After nearly 20 years of development, Hongke Medical has not only obtained the medical device production license issued by the national food and drug administration, but also passed the ISO13485 quality management system certification, and won the EU CE certificate issued by the international authority SGS.

In order to meet the needs of global customers, Hongke Medical has nearly 100 employees, nearly 10% of whom are R&D personnel, and more than 25000 square meters of workshop production area. In addition, the company also has 3 invention patents, 3 practical patents and more than 10 independently developed new products.

Because it attaches great importance to equipment service and customer experience, Hongke Medical has 20 provincial service teams and 5 regional spare parts centers in the domestic market, and has independent overseas service teams, overseas spare parts centers and overseas customer training centers in the international market.

In the future, Hongke Medical will continue to realize production modernization and cutting-edge technology innovation, ensure that the company can scale, mold, high-quality and customized production, help the world to improve medical conditions, improve the diagnosis and treatment effect, and make high-quality medical products and services benefit a wider range of regions and people.









# HK-610 CLASSIC

Improve your daily work



The new ergonomic automation design brings more convenient operation experience for medical staff, greatly improves the working efficiency of doctors and greatly improves the comfort of patients.

10 years service life

-  Professional Equipment
-  Oral Care
-  Repair teeth
-  Operating system
-  Protect teeth
-  Load bearing 200kg



# HK-610 CLASSIC

Improve your daily work



10 years service life

Make work enjoyable

## Considerate and Caring

Ergonomic design means stable, generous and beautiful



# HK-610 CLASSIC

Improve your daily work



10 years service life



## What kind of dental chair are you looking for?



Rotary folding headrest



Rotating unit box



6-LEDs sensor oral lamp



Rotary assistant stand



Swivel/detachable spittoon



Rotary key type sub control panel



Swivel main control handpiece holder



One key main switch for water-air-electric



Integrated forming of cast aluminum bending plate



New multi-function pedal

### STANDARD CONFIGURATION:

- Denmark Linak 24V imported silent DC motor
- Auto spittoon flushing & cup filler control system
- ★ Full function automatic detection system
- ★ The program control system has its own emergency lifting button
- 6-LEDs sensor oral lamp
- Down-mounted instrument tray with air break
- High suction & saliva ejector system
- Main switch for water-air-electric
- Removable ceramic spittoon(detachable)
- 3-way syringe (hot/cold water)
- Folding, double joint head restraints
- Purified water supply system
- Seamless cushion (PU leather)
- ★ Imported medical water/air
- LED film viewer
- Doctor's chair
- Multi function pedal controller
- Cast aluminum tool tray bracket
- Cast aluminum hanger box bracket
- Cast aluminum auxiliary control support
- Cast aluminum spittoon bracket
- ★ Fine steel integrated forming back plate
- Injection molding chassis bracket

### OPTIONAL:


- Built-in ultrasonic scaler
- Built-in LED curing light
- Intraoral camera system
- External floor box
- Two high-speed and one low-speed handpiece sets
- Tissue box three-piece

### TECHNICAL PARAMETERS:

- Power/voltage: a.c.220V-230V / 50Hz; 110V-120V / 60Hz
- Water pressure: 0.2-0.4MPa / 2.0-4.0bar
- Air pressure: 0.55-0.8MPa / 5.5-8.0bar
- Air output volumn: >55L/min
- Maximum occupied space: 100cm(W) × 215cm(L)


# HK-610GT NEW UPGRADE

New upgrade, Hongke embracing dental chair



The whole body is upgraded with ASA shell, which is resistant to high temperature, ultraviolet ray, corrosion and aging. The integrated metal backrest is more solid, ergonomically designed, and the material selection is high quality, comfortable, convenient, durable and safe, provide you a new experience.

10 years service life

-  Professional Equipment
-  Oral Care
-  Repair teeth
-  Operating system
-  Protect teeth
-  Load bearing 200kg
-  External equipment
-  Tooth removal



# HK-610GT NEW UPGRADE



10 years service life



## Double light source inductive oral lamp

Lightweight, fashionable and practical

### Technical parameter


- Input voltage: AC12/24V
- Power: 10VA
- Light intensity: 10000-30000Lx
- Color temperature: 5000K
- Number of LED lamps: 1/pcs (reflector lamp)
- Package size: 44 x 40 x 18cm
- Package weight: 2KG



## HK-610GT NEW UPGRADE

10 years service life

### What kind of dental chair are you looking for?



Rotary folding headrest



One key main switch for water-air-electric



Double light source inductive oral lamp



Full touch main control panel



Swivel/detachable spittoon



Full touch assistant control panel



Medical stainless steel tray



Split strong and weak suction filter cup



Rotating unit box



New multi-function pedal

#### STANDARD CONFIGURATION:

- ★ Denmark Linak 24V imported silent DC motor
- Auto spittoon flushing & cup filler control system
- ★ Full function automatic detection system
- ★ 9-programs control systems (integrated circuit board)
- The program control system has its own emergency lifting button
- Double light source inductive oral lamp
- Down-mounted instrument tray with air break
- Medical stainless steel tray
- High suction & saliva ejector system
- Main switch for water-air-electric
- Removable ceramic spittoon(detachable)
- 3-way syringe (hot/cold water)
- Folding, double joint head restraints
- Purified water supply system
- ★ Seamless cushion (PU leather)
- Imported medical water/air
- LED film viewer
- Doctor's chair
- Multi function pedal controller
- Cast aluminum tool tray bracket
- Cast aluminum hanger box bracket
- Cast aluminum auxiliary control support
- Cast aluminum spittoon bracket
- ★ Fine steel integrated forming back plate
- Injection molding chassis bracket

#### OPTIONAL:

- Built-in ultrasonic scaler
- Built-in LED curing light
- Intraoral camera system
- External floor box
- Two high-speed and one low-speed handpiece sets
- Tissue box three-piece

#### TECHNICAL PARAMETERS:

- Power/voltage: a.c.220V-230V / 50Hz; 110V-120V / 60Hz
- Water pressure: 0.2-0.4MPa / 2.0-4.0bar
- Air pressure: 0.55-0.8MPa / 5.5-8.0bar
- Air output volumn: >55L/min
- Maximum occupied space: 100cm(W) × 215cm(L)



# HK-610A EXTREME



Equipped with a new cutting-edge technology system and medical grade alloy parts, it brings unprecedented operating experience to medical staff. With its help, dental treatment is more efficient, and patients will experience unprecedented comfort

10 years service life



Professional Equipment



Oral Care



Repair teeth



Operating system



Protect teeth



External equipment



Load bearing 200kg



Tooth removal



Dental tools



Clean as new



# HK-610A EXTREME



10 years service life



Double light source

### New upgrade

Double light source inductive oral lamp  
Smart, delicate and soft

### Technical parameter

- Input voltage: AC12/24V
- Power: 9VA
- Light intensity: 7000-32000Lx
- Color temperature: 5000K
- Number of LED lamps: 1/pcs (reflector lamp)
- Package size: 40 × 37 × 14cm
- Package weight: 1.5KG

# HK-610A EXTREME

10 years service life



## What kind of dental chair are you looking for?

				
Memory cotton headrest	Memory cotton waist pillow	Double light source inductive oral lamp	Ultra low seat design	Advanced silicone protective sleeve
				
Full touch sub control panel	Removable spittoon	Fashion spittoon	Split strong and weak suction filter cup	New multi-function pedal filter cup

### STANDARD CONFIGURATION:

- Denmark Linak 24V imported silent DC motor
- Auto spittoon flushing & cup filler control system
- ★ Full function automatic detection system
- ★ 9-programs control systems (integrated circuit board)
- ★ The program control system has its own emergency lifting button
- Double light source inductive oral lamp
- Down-mounted instrument tray with air break
- High suction & saliva ejector system
- LED two-color oral lamp (inductive type)
- Touch type doctor/assistant control system
- Removable ceramic spittoon(detachable)
- 3-way syringe (hot/cold water)
- Folding, double joint head restraints
- Kavo chair frame
- Purified water supply system
- Luxury cushion (microfiber leather)
- ★ Imported medical water/air
- LED film viewer
- Doctor's chair
- Multi function pedal controller
- Cast aluminum tool tray bracket
- Cast aluminum hanger box bracket
- Cast aluminum auxiliary control support
- Cast aluminum spittoon bracket
- ★ Fine steel integrated forming back plate
- Injection molding chassis bracket

### OPTIONAL:


- Built-in ultrasonic scaler
- Built-in LED curing light
- Intraoral camera system
- External floor box
- Two high-speed and one low-speed handpiece sets
- Tissue box three-piece

### TECHNICAL PARAMETERS:

- Power/voltage: a.c.220V-230V / 50Hz; 110V-120V / 60Hz
- Water pressure: 0.2-0.4MPa / 2.0-4.0bar
- Air pressure: 0.55-0.8MPa / 5.5-8.0bar
- Air output volumn: >55L/min
- Maximum occupied space: 100cm(W) × 215cm(L)

# HK-610D Implant Unit ORAL IMPLANT

Professional implant High end customization



HK-610D implant unit has a structural design with stability as the core, and has substantial scientific and technological configuration, provide patients and doctors a pleasant and comfortable experience,

10 years service life



Professional Equipment	Oral Care	Repair teeth	Operating system	Protect teeth	Load bearing 200kg	External equipment	Tooth removal	Dental tools	Dental tools	Clean as new

# HK-610D Implant Unit ORAL IMPLANT

Professional implant High end customization



10 years service life



20-LEDs without shadow  
**Inductive implant operating lamp**  
High end, shadowless, precise

### Technical parameter

- Input voltage: AC12/24V
- Power: 20W
- Light intensity: 30000-90000Lx
- Color temperature: 3500- 5000K
- Number of LED lamps: 20/pcs
- Package size: 52 × 48 × 21cm
- Package weight: 4KG








**HK-610D** Implant Unit  
**ORAL IMPLANT**  
 Professional implant High end customization



10 years service life



What kind of dental chair are you looking for?

				
Memory cotton headrest	Memory cotton waist pillow	20-LEDs shadowless inductive implant operating lamp	Separated mobile dental unit	Advanced silicone protective sleeve
				
Full touch sub control panel	Medical stainless steel tray	Split strong and weak suction filter cup	Ultra low seat design	New multi-function pedal

STANDARD CONFIGURATION:


- Denmark Linak 24V imported silent DC motor
- Auto spittoon flushing & cup filler control system
- ★ Full function automatic detection system
- ★ 9-programs control systems (integrated circuit board)
- ★ The program control system has its own emergency lifting button
- ★ 20-LEDs shadowless inductive implant operating lamp
- ★ Separated mobile dental unit
- High suction & saliva ejector system
- LED two-color oral lamp (inductive type)
- Touch type doctor/assistant control system
- Removable ceramic spittoon(detachable)
- 3-way syringe (hot/cold water)
- Folding, double joint head restraints
- Kavo chair frame
- Purified water supply system
- Luxury cushion (microfiber leather)
- ★ Imported medical water/air
- LED film viewer
- Doctor's chair
- Dentist's chair
- Multi function pedal controller
- Cast aluminum tool tray bracket
- Cast aluminum hanger box bracket
- Cast aluminum auxiliary control support
- Cast aluminum spittoon bracket
- ★ Fine steel integrated forming back plate
- Injection molding chassis bracket

OPTIONAL:

- Built-in ultrasonic scaler
- Built-in LED curing light
- Intraoral camera system
- External floor box
- Two high-speed and one low-speed handpiece sets
- Tissue box three-piece

TECHNICAL PARAMETERS:

- Power/voltage: a.c.220V-230V / 50Hz; 110V-120V / 60Hz
- Water pressure: 0.2-0.4MPa / 2.0-4.0bar
- Air pressure: 0.55-0.8MPa / 5.5-8.0bar
- Air output volumn: >55L/min
- Maximum occupied space: 100cm(W) × 215cm(L)



Freely in combination

# More choices


## Outstanding quality



- Luxury and fashion
- Green and environmental protection
- Unique texture
- Delicate and soft



6-LEDs oral sensor lamp



Double light source inductive oral lamp



Newly upgraded dual light source inductive oral lamp



20-LEDs shadowless inductive implant operating lamp



Woodpecker N2 Built-in scaler



Woodpecker N2 LED Built-in scaler




Intraoral camera system HK-SC818



Intraoral camera system HK-SC838(Wifi)



Woodpecker curing light LED.Q



Woodpecker curing light LED.G

PU leather,Optional colors:



P01 Light blue P02 Middle blue P03 Dark blue P04 Light green P05 Yellow P06 Orange P07 Purplish red P08 Apple green P09 Brown P10 Dark green

Microfiber leather,Optional colors:



L01 Light blue L02 Middle blue L03 Dark blue L04 Khaki L05 Brown L06 Orange L07 Purplish red L08 Apple green L09 Dark green L10 Grey